



Horizontal Lifting Clamp THSK

Product information

Lifting clamp with adjustable extra large jaw opening for horizontal lifting, handling and transporting of stacks, packages and single steel plates. Terrier THSK lifting clamps must always be used in pairs (or multiple pairs). The adjustable jaw offers wide variety of openings available from 3 to 420 mm.

Features:

- Easy adjustable jaw opening
- Quick and easy placing and removing of the clamp
- Lightweight design for easy handling
- Tough quality heavy duty welded body

Marking: According to standard, CE-marked, Type, serial number, WLL, Jaw opening.

Temperature range: - 40°C up to +100°C.

Standard: EN 13155

Note: The lifting clamps are suitable for lifting and transporting of steel plates with a maximum hardness of 37 HRC (345 HB, 1166 N/mm²). The lifting clamps must always be used in pairs (or multiple pairs).

Warning: Hardness level of the material surface may not exceed 37 Hrc (345 Hb, 1166 N/mm²)

Part Code	Code	WLL ton	Jaw width mm	V mm	S mm	W mm	T mm	H mm	U mm	X mm	Y mm	Z mm	Weight kg	Delivery time
502100151800700	1.5 THSK/180	1.5	3-180	201	135	15	30,5	18	289	90	20	60	9.5	10
502100153000700	1.5 THSK/300	1.5	3-300	201	135	15	30,5	18	409	90	20	60	11	10
502100301800700	3 THSK/180	3	3-180	241	165	20	30,5	18	296	105	20	69	13	10
502100303000700	3 THSK/300	3	3-300	241	165	20	30,5	18	416	105	20	69	15	10
502100451800700	4.5 THSK/180	4.5	3-180	241	165	20	30,5	18	296	105	20	69	13	10
502100454200700	4.5 THSK/420	4.5	3-420	241	165	20	30,5	18	536	105	20	69	17	10
502100601800700	6 THSK/180	6	3-180	256	160	25	30,5	18	304	120	20	75	18	10
502100604200700	6 THSK/420	6	3-420	256	160	25	30,5	18	544	120	20	75	24	10
502100901800700	9 THSK/180	9	3-180	256	160	25	30,5	18	304	120	20	75	18	10
502100904200700	9 THSK/420	9	3-420	256	160	25	30,5	18	544	120	20	75	24	10

Blueprint

