



## Schackel 9000 – oklassad

### Produktinformation



Schackel för allmänt bruk.

**Ytbehandling:** Elförzinkad.

**Anmärkning:** Ej för lyft.

| Art.nr       | Pin diameter | b1<br>mm | d1<br>mm | d2<br>mm | d3<br>mm | h1<br>mm | Vikt<br>kg | Uppskattad leveranstid (dagar) |
|--------------|--------------|----------|----------|----------|----------|----------|------------|--------------------------------|
| 490100500200 | 5            | 10       | 5        | 10       | 5        | 20       | 0,016      | 5                              |
| 490100600200 | 6            | 12       | 6        | 12       | 6        | 24       | 0,032      | 5                              |
| 490100800200 | 8            | 16       | 8        | 16       | 8        | 32       | 0,07       | 5                              |
| 490101000200 | 10           | 20       | 10       | 19       | 10       | 40       | 0,134      | 5                              |
| 490101100200 | 11           | 22       | 11       | 21       | 11       | 44       | 0,176      | 10                             |
| 490101300200 | 13           | 25       | 12       | 24       | 12       | 48       | 0,25       | 5                              |
| 490101400200 | 14           | 28       | 14       | 27       | 14       | 56       | 0,36       | 10                             |
| 490101600200 | 16           | 32       | 26       | 31       | 16       | 64       | 0,53       | 5                              |
| 490101900200 | 19           | 38       | 19       | 38       | 20       | 80       | 0,92       | 5                              |
| 490102200200 | 22           | 44       | 22       | 43       | 22       | 85       | 1,4        | 5                              |
| 490102500200 | 25           | 50       | 25       | 49       | 25       | 100      | 2,15       | 5                              |
| 490102800200 | 28           | 56       | 28       | 54       | 28       | 116      | 3,4        | 10                             |
| 490103200200 | 32           | 64       | 32       | 62       | 32       | 129      | 4,6        | 10                             |

## Ritning & mått

